



Glory Planet Co., Ltd.

TEL: 886-7-522-5775

FAX: 886-7-522-5767

E-mail: gloryplanet.gp@gmail.com


Website: gloryplanet.myweb.hinet.net

Sun-Sword[®] Decking Screw

-For hardwood

Stainless Steel

*302, 304, 305, 316



E-coating

*1000/1500hrs S.S.T.

15/25/30 cycles Kesternich

*ACQ wood compliant

*European Class3 / 4

*Many colors for choice



No pre-drilling & No split

Sun Sword[®] Decking Screw is available to drill into most of the hardwood directly without split.

This screw has the following traits:

- ✓ No pre-drilling & No-split (save time & money)
- ✓ Low drive torque
- ✓ No flag & without burrs
- ✓ Seat cleanly
- ✓ Drilling fast
- ✓ Good holding power





Sun-Sword® Decking Screw



Applications:

1 Hardwood to Softwood



2 Hardwood to Dry Hardwood



3 Apply on WPC Boards



4 Apply on Composite Boards



Holding Power:

*Screw Size: #10x50mm (M5x50mm)	Drill in Depth	Pull Out Value (Holding Power)		
		Test 1	Test 2	Test 3
Pine Wood	30mm	320.50kgf	415.45kgf	305.70kgf



Glory Planet Co., Ltd.

Sun Wings Self-Drilling Screw

-For hardwood to steel

Material: Steel with Coating
*Zinc, Yellow Zinc, E-Coating...etc



*19mm hardwood to 6.1mm steel



*19mm hardwood to 1.5mm steel



*19mm hardwood to 4.6mm steel




No pre-drilling

Sun Wings Self-Drilling Screw can be drilled into most of the hardwood to steel directly without split and fixed tightly.

This screw has the following traits:

- ✓ **No pre-drilling & No-split (save time & money)**
- ✓ **Low drive torque**
- ✓ **No flag & without burrs**
- ✓ **Seat cleanly**
- ✓ **Drilling fast**
- ✓ **Good holding power**



TEL: 886-7-522-5775

FAX: 886-7-522-5767

E-mail: gloryplanet.gp@gmail.com

Website: gloryplanet.myweb.hinet.net



Glory Planet Co., Ltd.

TEL: 886-7-522-5775

FAX: 886-7-522-5767

E-mail: gloryplanet.gp@gmail.com

Website: gloryplanet.myweb.hinet.net

Shark Composite Deck Screw

-For composite and PVC decking



Stainless Steel

*302, 304, 305, 316

E-coating

*1000/1500hrs S.S.T.

15/25/30 cycles Kesternich

*ACQ wood compliant

*European Class3 / 4

*Many colors for choice

Shark Composite Deck Screw is available to most of the composite wood.

This screw has the following traits:

- ✓ No pre-drilling & No-split (save time & money)
- ✓ Higher holding power
- ✓ No flag, no mushroom & halo
- ✓ Seat cleanly
- ✓ Drilling fast
- ✓ Low drive torque

👍 No pre-drilling & No split





Glory Planet Co., Ltd.


GP-Turbo Screw

-For harder plasterboard (EX: Habito Board)

Material: Steel with Coating
*Phosphated, Zinc, E-Coating...etc



GP-Turbo Screw



VS.




Normal Screw

*Habito board to wood



*Habito board to 0.5mm steel



GP-Turbo Screw is designed for harder plasterboard (ex: Habito board) to wood or steel (0.5mm-0.8mm thickness).

This screw has the following traits:

- ✓ **No burrs & Seat cleanly**
- ✓ **Drilling fast**
- ✓ **Good holding power**

TEL: 886-7-522-5775

FAX: 886-7-522-5767



E-mail: gloryplanet.gp@gmail.com

Website: gloryplanet.myweb.hinet.net



Cobra Concrete Screw

-For concrete hollow block



No pre-drilling



Cobra Concrete Screw is available for wood to concrete hollow block. It can be drilled quickly and fixed tightly.

This screw has the following traits:

- ✓ No pre-drilling (save time & money)
- ✓ Low drive torque
- ✓ Drilling fast
- ✓ Higher holding power

